



Scan to explore
EX8 online

Extrusion EX8

Surface Mounted Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX8	W (White)	CLR (Clear Lens)
	B (Black)	OP (Opal Lens)

Order Code **EX8-B-OP**



Product Features

- Surface mounted aluminium angled extrusion profile with wide trim, designed to sit against corners
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Configured with a clear or opal diffuser
- Supplied with surface mounting clips for easy installation

Product Attributes



To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX8

Physical Characteristics


Trim Colour	White Black
Dimensions (WxH)	19 x 19 mm
Maximum Length	3000 mm*

* Custom lengths available

General Characteristics

Category	Strips & Extrusions
Family	Extrusions
Surface	Ceiling Floor Wall
Mounting	Surface Mounted
Ingress Protection	IP20

Dimensions (mm)





Scan to explore
EX8 online

Extrusion EX8

Surface Mounted Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX8	W (White)	CLR (Clear Lens)
	B (Black)	OP (Opal Lens)

Order Code **EX8-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX8

Trim Colour




W
White Trim




B
Black Trim

Accessories



CLR
Clear Lens



OP
Opal Lens



Scan to explore
EX8 online

Extrusion EX8


Surface Mounted Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX8	W (White)	CLR (Clear Lens)
	B (Black)	OP (Opal Lens)


Order Code **EX8-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX8


Applicable LED Strips for Extrusion EX8




Flexiled XF1260
16W/m 12V DC Flexible Strip
Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (3 LEDs)
LED Pitch 60 LEDs per meter




Flexiled XF12120
15W/m 12V DC Flexible Strip
Dimensions 1000 x 11.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 25 mm (3 LEDs)
LED Pitch 120 LEDs per meter




Flexiled XF24120
15W/m 24V DC Flexible Strip
Dimensions 1000 x 11.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (6 LEDs)
LED Pitch 120 LEDs per meter




Flexiled XF24120B
8W/m 24V DC Flexible Strip
Dimensions 1000 x 10.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (6 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF2499
20W/m 24V DC Flexible Strip
Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 6000 mm
Cutting Increment 60 mm (6 LEDs)
LED Pitch 99 LEDs per meter



Flexiled XF24480
9W/m 24V DC Flexible Strip
Dimensions 1000 x 8 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm
LED Pitch 480 LEDs per meter



Flexiled XF24RGBW
20W/m 24V DC Flexible Strip
Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 62.5 mm (6 LEDs)
LED Pitch 96 LEDs per meter