

Extrusion ZTL

Surface Mounted Wide Extrusion



ZTL online

Product Code	Trim Colour	Accessories
ZTL	W (White) B (Black)	OP (Opal Lens)

Order Code ZTL-B-OP



Product Features

- Surface mounted extrusion profile with clip in acrylic diffuser with 2 position options, providing smooth light beam distribution
- Featuring interlocking system providing the ability to create seamless linear lighting installations
- Can mix and match with recommended LED strips of up to 3.6 metres


To configure this extrusion, please visit trendlighting.com.au/product/extrusion-ZTL


Physical Characteristics

Trim Colour	White Black
Dimensions (WxH)	125 x 85 mm
Maximum Length	3600 mm*

* Custom lengths available

Dimensions (mm)





Product Attributes



General Characteristics

Category	Strips & Extrusions	
Family	Extrusions	
Surface	Ceiling	
Mounting	Surface Mounted	
Ingress Protection	IP20	



Extrusion ZTL Surface Mounted Wide Extrusion



ZTL online

Product Code	Trim Colour	Accessories
ZTL	W (White) B (Black)	OP (Opal Lens)

Order Code ZTL-B-OP

To configure this extrusion, please visit

trendlighting.com.au/product/extrusion-ZTL

Trim Colour





W White Trim B Black Trim

Accessories



OP Opal Lens



Extrusion ZTL Surface Mounted Wide Extrusion



ZTL online

Product Code	Trim Colour	Accessories
ZTL	W (White) B (Black)	OP (Opal Lens)

Order Code **ZTL-B-OP**

To configure this extrusion, please visit

trendlighting.com.au/product/extrusion-ZTL

Applicable LED Strips for Extrusion ZTL



Flexiled XF12120 15W/m 12V DC Flexible Strip

Dimensions 1000 x 11.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 25 mm (3 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF24120 15W/m 24V DC Flexible Strip

Dimensions 1000 x 11.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (6 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF24120B 8W/m 24V DC Flexible Strip

Dimensions 1000 x 10.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (6 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF2499 20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 6000 mm Cutting Increment 60 mm (6 LEDs) LED Pitch 99 LEDs per meter



Flexiled XF24144 25W/m 24V DC Flexible Strip

Dimensions 1000 x 30 x 2 mm Max. Continuous Length 12,000 mm Cutting Increment 66.5 mm (8 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF24RGBW 20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 62.5 mm (6 LEDs) LED Pitch 96 LEDs per meter