



Scan to explore  
EX1 online

# Extrusion EX1

Surface Mounted Trimless Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX1	S (Silver)	CLR (Clear Lens) OP (Opal Lens)

Order Code **EX1-S-OP**



## Product Features

- Surface mounted aluminium trimless angled extrusion profile, designed to sit against corners
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Configured with a clear or opal diffuser
- Supplied with surface mounting clips for easy installation

## Product Attributes



To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX1](http://trendlighting.com.au/product/extrusion-EX1)

## Physical Characteristics


Trim Colour	Silver
Dimensions (WxH)	17 x 17 mm
Maximum Length	3000 mm*

\* Custom lengths available

## General Characteristics

Category	Strips & Extrusions
Family	Extrusions
Surface	Ceiling   Floor   Wall
Mounting	Surface Mounted
Ingress Protection	IP20

## Dimensions (mm)





Scan to explore  
EX1 online

# Extrusion EX1

Surface Mounted Trimless Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX1	S (Silver)	CLR (Clear Lens) OP (Opal Lens)

Order Code **EX1-S-OP**


To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX1](http://trendlighting.com.au/product/extrusion-EX1)

## Trim Colour




S  
**Silver Trim**

## Accessories



CLR  
**Clear Lens**



OP  
**Opal Lens**



Scan to explore  
EX1 online

# Extrusion EX1

Surface Mounted Trimless Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX1	S (Silver)	CLR (Clear Lens) OP (Opal Lens)


Order Code **EX1-S-OP**

To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX1](http://trendlighting.com.au/product/extrusion-EX1)


## Applicable LED Strips for Extrusion EX1




**Flexiled XF1260**  
16W/m 12V DC Flexible Strip  
Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (3 LEDs)  
LED Pitch 60 LEDs per meter




**Flexiled XF12120**  
15W/m 12V DC Flexible Strip  
Dimensions 1000 x 11.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 25 mm (3 LEDs)  
LED Pitch 120 LEDs per meter




**Flexiled XF24120**  
15W/m 24V DC Flexible Strip  
Dimensions 1000 x 11.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (6 LEDs)  
LED Pitch 120 LEDs per meter




**Flexiled XF24120B**  
8W/m 24V DC Flexible Strip  
Dimensions 1000 x 10.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (6 LEDs)  
LED Pitch 120 LEDs per meter



**Flexiled XF2499**  
20W/m 24V DC Flexible Strip  
Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 6000 mm  
Cutting Increment 60 mm (6 LEDs)  
LED Pitch 99 LEDs per meter



**Flexiled XF24480**  
9W/m 24V DC Flexible Strip  
Dimensions 1000 x 8 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm  
LED Pitch 480 LEDs per meter



**Flexiled XF24RGBW**  
20W/m 24V DC Flexible Strip  
Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 62.5 mm (6 LEDs)  
LED Pitch 96 LEDs per meter