



Scan to explore
EX12R online

Extrusion EX12R

Surface Mounted Semi-Round Extrusion

Product Code	Trim Colour	Accessories
EX12R	W (White) B (Black)	OP (Opal Lens)

Order Code **EX12R-B-OP**



Product Features

- Surface mounted aluminium semi-round extrusion profile with opal diffuser distinctively known for its diffused and even lighting distribution
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Supplied with mounting clips for easy installation

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX12R

Product Attributes



Physical Characteristics


Trim Colour	White Black
Dimensions (WxH)	45 x 42 mm
Maximum Length	3000 mm*

* Custom lengths available

General Characteristics

Category	Strips & Extrusions
Family	Extrusions
Surface	Ceiling Wall
Mounting	Surface Mounted
Ingress Protection	IP20

Dimensions (mm)





Scan to explore
EX12R online

Extrusion EX12R

Semi-Round Extrusion

Product Code	Trim Colour	Accessories
EX12R	W (White) B (Black)	OP (Opal Lens)


Order Code **EX12R-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX12R

Trim Colour




W
White Trim



B
Black Trim

Accessories



OP
Opal Lens



Scan to explore
EX12R online

Extrusion EX12R

Semi-Round Extrusion

Product Code	Trim Colour	Accessories
EX12R	W (White) B (Black)	OP (Opal Lens)

Order Code **EX12R-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX12R


Applicable LED Strips for Extrusion EX12R



Flexiled XF1260

16W/m 12V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (3 LEDs)
LED Pitch 60 LEDs per meter



Flexiled XF12120

15W/m 12V DC Flexible Strip


Dimensions 1000 x 11.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 25 mm (3 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF24120

15W/m 24V DC Flexible Strip


Dimensions 1000 x 11.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (6 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF24120B

8W/m 24V DC Flexible Strip


Dimensions 1000 x 10.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (6 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF2499

20W/m 24V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 6000 mm
Cutting Increment 60 mm (6 LEDs)
LED Pitch 99 LEDs per meter



Flexiled XF24480

12W/m 24V DC Flexible COB Strip


Dimensions 1000 x 8 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 8.33 mm
LED Pitch 480 LEDs per meter



Flexiled XF24144

25W/m 24V DC Flexible Strip

Dimensions 1000 x 30 x 2 mm
Max. Continuous Length 12,000 mm
Cutting Increment 66.5 mm (8 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF24RGBW

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 62.5 mm (6 LEDs)
LED Pitch 96 LEDs per meter