

Extrusion EX4

Recessed Extrusion



EX4 online

| Product Code | Trim Colour | Accessories |
|--------------|-------------|------------------|
| EX4 | B (Black) | CLR (Clear Lens) |
| | S (Silver) | OP (Opal Lens) |

Order Code EX4-B-OP




To configure this extrusion, please visit trendlighting.com.au/product/extrusion-EX4

Physical Characteristics

| Trim Colour | Black Silver |
|------------------|----------------|
| Dimensions (WxH) | 25.5 x 14.5 mm |
| Maximum Length | 3000 mm* |

^{*} Custom lengths available

Dimensions (mm)



Product Features

- Recessed aluminium extrusion profile with curved diffuser designed for recessed mounting
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Configured with a clear or opal diffuser
- Supplied with mounting clips for easy installation

Product Attributes





General Characteristics

| Category | Strips & Extrusions |
|--------------------|------------------------|
| Family | Extrusions |
| Surface | Ceiling Floor Wall |
| Mounting | Recessed |
| Ingress Protection | IP20 |



Extrusion EX4





Scan to explore EX4 online

| Product Code | Trim Colour | Accessories |
|--------------|-------------------------|---------------------------------|
| EX4 | B (Black) S (Silver) | CLR (Clear Lens) OP (Opal Lens) |

Order Code **EX4-B-OP**

To configure this extrusion, please visit

trendlighting.com.au/product/extrusion-EX4

Trim Colour





B Black Trim

Silver Trim

Accessories





CLR Clear Lens OP Opal Lens



Extrusion EX4

Recessed Extrusion



Scan to explore EX4 online

| Product Code | Trim Colour | Accessories |
|--------------|-------------------------|---------------------------------|
| EX4 | B (Black) S (Silver) | CLR (Clear Lens) OP (Opal Lens) |

Order Code EX4-B-OP

To configure this extrusion, please visit

trendlighting.com.au/product/extrusion-EX4

Applicable LED Strips for Extrusion EX4



Flexiled XF1260 16W/m 12V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (3 LEDs) LED Pitch 60 LEDs per meter



Flexiled XF12120 15W/m 12V DC Flexible Strip

Dimensions 1000 x 11.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 25 mm (3 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF24120 15W/m 24V DC Flexible Strip

Dimensions 1000 x 11.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (6 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF24120B 8W/m 24V DC Flexible Strip

Dimensions 1000 x 10.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (6 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF2499

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 6000 mm Cutting Increment 60 mm (6 LEDs) LED Pitch 99 LEDs per meter



Flexiled XF24480

9W/m 24V DC Flexible Strip

Dimensions 1000 x 8 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm LED Pitch 480 LEDs per meter



Flexiled XF24RGBW

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 62.5 mm (6 LEDs) LED Pitch 96 LEDs per meter