

Extrusion EX5

Surface Mounted Angled Corner Extrusion



EX5 online

Product Code	Trim Colour	Accessories
EX5	B (Black) S (Silver)	CLR (Clear Lens) OP (Opal Lens)

Order Code EX5-B-OP




To configure this extrusion, please visit trendlighting.com.au/product/extrusion-EX5

Physical Characteristics

Trim Colour	Black Silver
Dimensions (WxH)	18 x 18 mm
Maximum Length	3000 mm*

^{*} Custom lengths available

Dimensions (mm)



18

18

Product Features

- Surface mounted aluminium angled extrusion profile with wide trim, designed to sit against corners
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Configured with a clear or opal diffuser
- Supplied with surface mounting clips for easy installation

Product Attributes





General Characteristics

Category	Strips & Extrusions	
Family	Extrusions	
Surface	Ceiling Floor Wall	
Mounting	Surface Mounted	
Ingress Protection	IP20	



Extrusion EX5

Surface Mounted Angled Corner Extrusion



Scan to explore EX5 online

Product Code	Trim Colour	Accessories
EX5	B (Black)	CLR (Clear Lens)
	S (Silver)	OP (Opal Lens)

Order Code EX5-B-OP

To configure this extrusion, please visit

trendlighting.com.au/product/extrusion-EX5

Trim Colour





B Black Trim

Silver Trim

Accessories





CLR Clear Lens

OP
Opal Lens



Extrusion EX5

Surface Mounted Angled Corner Extrusion



Scan to explore EX5 online

Product Code	Trim Colour	Accessories
EX5	B (Black) S (Silver)	CLR (Clear Lens) OP (Opal Lens)

Order Code EX5-B-OP

To configure this extrusion, please visit

trendlighting.com.au/product/extrusion-EX5

Applicable LED Strips for Extrusion EX5



Flexiled XF1260 16W/m 12V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (3 LEDs) LED Pitch 60 LEDs per meter



Flexiled XF12120 15W/m 12V DC Flexible Strip

Dimensions 1000 x 11.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 25 mm (3 LEDs)

LED Pitch 120 LEDs per meter



Flexiled XF24120 15W/m 24V DC Flexible Strip

Dimensions 1000 x 11.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (6 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF24120B 8W/m 24V DC Flexible Strip

Dimensions 1000 x 10.5 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm (6 LEDs) LED Pitch 120 LEDs per meter



Flexiled XF2499

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 6000 mm Cutting Increment 60 mm (6 LEDs) LED Pitch 99 LEDs per meter



Flexiled XF24480

9W/m 24V DC Flexible Strip

Dimensions 1000 x 8 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 50 mm LED Pitch 480 LEDs per meter



Flexiled XF24RGBW

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm Max. Continuous Length 5000 mm Cutting Increment 62.5 mm (6 LEDs) LED Pitch 96 LEDs per meter