



Scan to explore  
EX5 online

# Extrusion EX5

Surface Mounted Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX5	B (Black) S (Silver)	CLR (Clear Lens) OP (Opal Lens)

Order Code **EX5-B-OP**



## Product Features

- Surface mounted aluminium angled extrusion profile with wide trim, designed to sit against corners
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Configured with a clear or opal diffuser
- Supplied with surface mounting clips for easy installation

## Product Attributes



To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX5](http://trendlighting.com.au/product/extrusion-EX5)

## Physical Characteristics


Trim Colour	Black   Silver
Dimensions (WxH)	18 x 18 mm
Maximum Length	3000 mm*

\* Custom lengths available

## General Characteristics

Category	Strips & Extrusions
Family	Extrusions
Surface	Ceiling   Floor   Wall
Mounting	Surface Mounted
Ingress Protection	IP20

## Dimensions (mm)





Scan to explore  
EX5 online

# Extrusion EX5

Surface Mounted Angled Corner Extrusion

Product Code	Trim Colour	Accessories
EX5	B (Black) S (Silver)	CLR (Clear Lens) OP (Opal Lens)

Order Code **EX5-B-OP**

To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX5](http://trendlighting.com.au/product/extrusion-EX5)

## Trim Colour




B  
**Black Trim**




S  
**Silver Trim**

## Accessories



CLR  
**Clear Lens**



OP  
**Opal Lens**



Scan to explore  
EX5 online

# Extrusion EX5

Surface Mounted Angled Corner Extrusion

Product Code	Trim Colour	Accessories
<b>EX5</b>	B (Black) S (Silver)	CLR (Clear Lens) OP (Opal Lens)

Order Code **EX5-B-OP**

To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX5](http://trendlighting.com.au/product/extrusion-EX5)


## Applicable LED Strips for Extrusion EX5



### Flexiled XF1260

16W/m 12V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (3 LEDs)  
LED Pitch 60 LEDs per meter



### Flexiled XF12120

15W/m 12V DC Flexible Strip


Dimensions 1000 x 11.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 25 mm (3 LEDs)  
LED Pitch 120 LEDs per meter



### Flexiled XF24120

15W/m 24V DC Flexible Strip

Dimensions 1000 x 11.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (6 LEDs)  
LED Pitch 120 LEDs per meter



### Flexiled XF24120B

8W/m 24V DC Flexible Strip


Dimensions 1000 x 10.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (6 LEDs)  
LED Pitch 120 LEDs per meter



### Flexiled XF2499

20W/m 24V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 6000 mm  
Cutting Increment 60 mm (6 LEDs)  
LED Pitch 99 LEDs per meter



### Flexiled XF24480

12W/m 24V DC Flexible COB Strip

Dimensions 1000 x 8 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 8.33 mm  
LED Pitch 480 LEDs per meter



### Flexiled XF24RGBW

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 62.5 mm (6 LEDs)  
LED Pitch 96 LEDs per meter